# HISTORIC PRESERVATION BOARD MEETING

# MARCH 27, 2012

### **CERTIFICATE OF APPROPRIATENESS FOR DESIGN**

1. FILE NO:

12-C-06

APPLICANT:

Roman Pentsa

LOCATION:

925 Van Buren Street

REQUEST:

Certificate of Appropriateness for Design for exterior renovations to an existing singlefamily home located in the Lakes Area Historic

Multiple Resource Listing District.

### CITY OF HOLLYWOOD, FLORIDA INTER-OFFICE MEMORANDUM PLANNING & DEVELOPMENT SERVICES

DATE:

March 27, 2012

FILE: 12-C-06

TO:

Historic Preservation Board

VIA:

Andria Wingett, Planning Manager

FROM:

Elizabeth Chang, Planning and Development Services Administrator 🚄 🗘

SUBJECT:

Roman Pentsa requests a Certificate of Appropriateness for Design for exterior renovations to an existing single-family home located at 925 Van Buren Street in the

Lakes Area Historic Multiple Resource Listing District.

#### APPLICANT REQUEST

Certificate of Appropriateness for Design for exterior renovations.

### STAFF'S RECOMMENDATION

Certificate of Appropriateness for Design: Approval, with the condition a Unity of Title, in a form acceptable to the City Attorney, be submitted prior to the issuance of permits and recorded in the Broward County Public Records prior to Certificate of Occupancy (C/O) or Certificate of Completion (C/C).

#### **BACKGROUND**

The applicant is proposing exterior renovations to an existing single-family home. The one-story home was constructed in 1953 according to information provided by the applicant. It is located on two lots approximately 95' wide by 127' long. The home appears to have architectural features of Post War Modern Ranch; however, does not appear to be the best example of this style. These homes were constructed en masse after World War II when there was a need for quick, efficient housing. This style was popular with builders as they were relatively inexpensive and used simple materials with none of the traditional detailing. Major features included asymmetrical massing with horizontal emphasis to windows. Materials included stucco and aluminum windows. Entrances were not emphasized and the homes had limited ornamentation. Low-pitched roofs with concrete tile were typical of Ranch style homes.

#### **REQUEST**

Exterior renovations include redesigning an existing covered front porch, a new roof, and changing out the windows on the south elevation. Also included in the scope of work is a new pool deck at the rear around an existing pool and replacing an existing asphalt driveway at the front with a paver driveway and reconfiguring it to better accommodate parking. Proposed redesign of the front porch will create a new entry feature including columns. Design Guidelines state regarding entrances and porches, Porches have been a traditional and significant feature of Hollywood architecture since the early 1920s. Porches served as a covered entrance to buildings and a transitional space between the interior and exterior. They provide a protected, shaded area used for relief from South Florida's frequent hot and humid weather. Existing planters in the front will be removed to accommodate the

expansion of the porch. Additional landscaping will be incorporated with pervious areas at approximately 50% and will include native species such as Live Oak trees and cocoplum hedges.

Renovations to the roof entail complete removal, including trusses, beams, and joists due to issues with the existing roof structure. The applicant has stated the roof has "considerable termite damage thru out" and will be replaced with a similar concrete Spanish "S" tile hip roof, with a slightly different pitch in order to ensure proper drainage while maintaining the style. Currently, a flat roof is located at the rear of the home and the applicant is proposing a hip tile roof over this portion, as well. The existing roof is approximately 13 ft high while the new roof will be approximately 15 ft with the structure peaking at approximately 22 ft in height overall.

Additionally, the applicant is proposing to replace windows on the south elevation. This includes alteration of window openings and front door. Proposed windows are smaller than the existing openings and the front door will include sidelights. Windows will be changed to impact resistant casement widows. Proposed exterior renovations are similar to that of adjacent structures and is sensitive to the surrounding neighborhood. An existing detached two-car garage, located at the rear, will be maintained.

The Historic Preservation Board is guided by the Secretary of the Interior's Standards for Rehabilitation and the City of Hollywood's Design Guidelines for Historic Properties and Districts. These documents offer design controls for materials, scale, massing and location for all properties within the district. The proposed renovations are consistent with the character of the Historic Lakes Section and designed in such a way that maintains the spatial relationship with surrounding properties in its scale and massing.

#### SITE BACKGROUND

Applicants/Owners:

Roman Pentsa

Address/Location:

925 Van Buren Street

Size of Property:

0.28 acres

Present Zoning:

Single Family Residential (RS-6)

Lakes Area Historic Multiple Resource Listing District

Present Land Use:

Single Family Residence

Year Built:

1955 (Broward County Property Appraiser)

#### ADJACENT ZONING

North:

Single Family Residential District (RS-6)

Lakes Area Multiple Resource Listing District (HMPRLOD-1)

South:

Single Family Residential District (RS-6)

Lakes Area Multiple Resource Listing District (HMPRLOD-1)

East:

Single Family Residential District (RS-6)

Lakes Area Multiple Resource Listing District (HMPRLOD-1)

West:

Single Family Residential District (RS-6)

Lakes Area Multiple Resource Listing District (HMPRLOD-1)

#### CONSISTENCY WITH THE COMPREHENSIVE PLAN

Within the Comprehensive Plan, the primary goal of the Land Use Element is to "promote a distribution of land uses that will enhance and improve the residential, business, resort and natural communities while allowing the land owners to maximize the use of their property."

The proposed renovations and additions allow the applicant to make the necessary improvements while maximizing the use of their property. By allowing the applicant to improve the structure, the City is accomplishing the desired reinvestment in an existing contributing site in the Lakes Area Historic Multiple Resource Listing District while maintaining the character of the neighborhood.

#### CONSISTENCY WITH THE CITY-WIDE MASTER PLAN

The City-Wide Master Plan (CWMP) places a priority on protecting, preserving and enhancing residential neighborhoods. It addresses the need for strict design controls to maintain the individual character of each neighborhood. The proposed renovations are sensitive to the character of the Historic Lakes Section through its design which is similar to existing structures in the surrounding neighborhood.

Policy CW.15: Place a priority on protecting, preserving and enhancing residential neighborhoods.

Policy 2.46 encourages the preservation of stable neighborhoods and rehabilitation initiatives that will revitalize and promote stability of neighborhoods.

The CWMP also states "the single-family character of the area should be preserved and enhanced through strict zoning code enforcement, traffic calming and streetscape improvements." The project has minimal impact on the current streetscape without interference with existing landscaping.

#### CONSISTENCY WITH THE HOLLYWOOD LAKES NEIGHBORHOOD PLAN

The Hollywood Lakes Neighborhood Plan seeks to maintain and preserve the character and integrity of the existing residential community by protecting historical areas. It also seeks to eliminate the encroachment of negative residential uses.

The proposed renovations do not adversely affect the integrity of the Historic District. The house is considered to be a contributing structure in scale and massing. The design is sensitive in scale and character to the existing structure and neighborhood.

#### DECISIONS ON CERTIFICATES OF APPROPRIATENESS FOR DESIGN

A decision on an application for a Certificate of Appropriateness for Design for new building construction, additions to existing building, major renovation work or substantial alteration shall be based upon evaluation of the compatibility of the physical alteration or improvement with and adherence to the criteria for designation listed in § 5.6.F.

Criteria: integrity of location, design, setting, materials, workmanship and association.

#### **CRITERION**: INTEGRITY OF LOCATION

ANALYSIS: Design Guidelines for Historic Properties and Districts recommends consistent

spacing and setback. Additionally, the Guidelines further recommend having the main entrance oriented to the street and site coverage similar to adjacent lots. The applicant is proposing exterior renovations to the home which includes redesign of an existing covered front porch, a new roof, and changing out the windows on the south elevation. Setbacks and orientation of the building will be maintained. The property contains multiple lots and the proportions of building to lot are consistent with other

properties in the neighborhood.

FINDING: Consistent

**CRITERION: DESIGN** 

ANALYSIS:

According to information provided by the applicant, the house was constructed in 1953. Since then, the house has not been altered and permit history shows work with replacement of the roof and electrical work. The home appears to have architectural features of Post War Modern Ranch; however, it does not appear to be the best example of that style.

The applicant is proposing to expand the existing front porch area, replace the roof. and change the windows and door on the front elevation. Included in the scope of work is a new paver driveway to replace an existing asphalt driveway at the front and new pool deck at the rear of the home. All proposed renovations are consistent with the Post War Modern style. While the roof will be replaced, the applicant is using a similar concrete Spanish "S" tile. The roof will be replaced with a similar concrete Spanish "S" tile hip roof, with a somewhat different pitch in order to ensure proper drainage while maintaining the style. Currently, there is a flat roof located at the rear of the property and the applicant is proposing a hip tile roof over the entire home. The height of the original home is approximately 13 ft high while the new roof will be approximately 15 ft with the structure peaking at approximately 22 ft in height overall. Proposed windows are smaller than existing openings and the front door will include sidelights. As stated by the applicant, "All of the new architectural elements including the setbacks, front porch, roof, windows, decorative columns, trim, colors, textures, and landscaping of the new design, in my view, are consistent and compatible with newer and older homes in the Lake[s] Section of Hollywood, Florida."

FINDING:

Consistent

**CRITERION:** 

SETTING

ANALYSIS:

The Historic District Design Guidelines state setting is the relationship of buildings within the Historic District and the surrounding site and neighborhood. When making alterations or additions it is recommended distinctive features such as size, mass, color, and materials of buildings are retained. It is consistent with the surrounding neighborhood. Scope of work includes expanding the existing front porch, replacing the roof, and changing windows on the south elevation.

According to the Design Guidelines, the design element of scale relates to the size of the building components or spaces relative to the human body as well as to the larger context relative to the surrounding buildings, streetscape and environment. Massing is an element of design and relates to how the building form, shape and components are perceived in relation to its length, width, height, lot coverage, and setting of the structure in context with adjacent buildings. The massing of structures should focus on the diversity of styles. As proposed, the renovations do not alter the scale and massing in this portion of the street.

FINDING:

Consistent

CRITERION:

**MATERIALS** 

ANALYSIS:

Design Guidelines for Historic Properties and Districts state materials are an important part of the fabric of any historic district or property and help to maintain the historic character of the place. Furthermore, materials that are compatible in quality,

color, texture, finish, and dimension to those that are in the historic district should be used. Designing new work which is incompatible with the other buildings in the neighborhood in materials, size, scale, and texture should be avoided. Materials used are consistent with the time period of the home during the Post War Modern era.

The existing roof consists of concrete Spanish "S" tile in which the applicant will be maintaining. Windows will be changed to impact resistant casement windows. Columns will be added on the porch with windows and doors trimmed with keystone style moldings. It is the applicant's intent to add character to the home while maintaining the architectural style of the home.

FINDING:

Consistent

CRITERION:

WORKMANSHIP

ANALYSIS:

The Design Guidelines recommend consideration of significant materials before undergoing rehabilitation of a historic structure or property. Materials of the porch, roof, and windows are consistent with the existing structure and are sensitive in design and nature to the home and adjacent properties.

FINDING:

Consistent

CRITERION:

**ASSOCIATION** 

ANALYSIS:

When making updates to a home, the Design Guidelines recommend maintaining a layout and lot coverage similar to surrounding properties. Lot proportions are consistent with other residences in the neighborhood and will not have negative impacts on adjacent properties.

FINDING:

Consistent

#### RECOMMENDATION

Certificate of Appropriateness for Design: Approval, with the condition a Unity of Title, in a form acceptable to the City Attorney, be submitted prior to the issuance of permits and recorded in the Broward County Public Records prior to Certificate of Occupancy (C/O) or Certificate of Completion (C/C).


#### **ATTACHMENTS**

ATTACHMENT A:

Application Package

ATTACHMENT B:

Aerial Photograph



### PENTSA RESIDENCE

#### 925 VAN BUREN STREET

FFB 29 1/2 at 956

The subject property is located at 925 Van Buren Street. The current owners are Roman and Rozina Pentsa.

# **SUBJECT PROPERTY**

The existing residence was built in 1954 and has approximately 3,350 SF of living area and 625 SF of garage area. The interior of the house has been completely removed in 2008 by the previous owner. The interior has no kitchen, bathrooms, ceilings, walls, or floor finishes, no electrical, plumbing and air conditioning.

To redesign the house in a manner that would meet all current building codes required by the building department, the new design will keep the same location of the existing exterior walls with completely new interior layout. Reinforcing the existing window openings will be altered to coordinate with the new layout. All the existing building setbacks will remain unchanged and will comply with current setback requirements.

# ADJANCENT PROPERTIES

The adjacent residence to the west is approximately 2,200 SF and built in 1949. In my opinion this residence is well maintained. The top of the roof is approximately 13'-0" above average grade. This residence currently has portion of the structure with a flat roof and an exposed air conditioning unit and duct work which can be clearly seen from the street. This flat roof structure is built 1'-0" from the Pentsa side property line.

The adjacent residence to the east is approximately 1,700 SF and built in 1954. In my opinion this residence is well maintained. The top of the roof is approximately 16'-0" above average grade.

Comparing the Pentsa residence roof height with the adjacent residences you have to consider the difference in floor area and existing floor elevations of those residences with the Pentsa residence. Those two factors will cause the

Pentsa roof to be higher. The height of the finish house I feel is constant with the newer homes in the Lake Section with 4:12 roof slopes.

### **ROOF STRUCTURE**

The existing roof structure is a hand framed roof that has considerable termite damage thru out. The existing roof slope is 3:12. The new truss roof structure will be with a slope of 4:12. The new roof tile will be a concrete Spanish "S" tile similar to many older and newer homes in Lake Section.

# **WINDOWS**

The windows will be impact casement windows. The frames will be white with light grey glass. The style and color of these windows will be constant to many older and newer homes in the Lake Section.

# **FRONT ENTRY**

The new front entry porch will remain at the same location as the existing including the existing setbacks from the front property line. An additional front porch area will be added to the west of the original porch location to enhance the Architecture at the front elevation.

# **COLORS AND TEXTURES**

The roof tile will be a Spanish 'S' concrete tile with a mix blend of terra cotta color. The walls will be golden tan with white fascia board. The front door will be a solid decorative wood door with walnut stain. The windows and doors will be trimmed with keystone style molding. The front and rear patio will have decorative round fluted fiberglass columns. The windows will have white frames and light grey tinted glass. The walls will have a light texture stucco finish. These colors and textures are consistent with older and newer homes in the Lake Section.

### **LANDSCAPING**

The new landscaping will have a combination of palms and shade trees with Hibicus, Ixora Grant and Cocoplum hedge. The lower plant ground cover will be covered with dwarf Hawthorn. All sod areas will be covered with Saint Augustine. All landscape areas will be provided with an irrigation system with 100% coverage.

### POOL AND POOL DECK

The existing pool and spa will be remodeled and a new paver brick pool deck will be provided where no pool deck exists.

# **REAR GARAGE**

The rear garage is an existing structure that was added to the residence in 1988. The garage is in good condition and will remain unchanged.

# **CONCLUSION**

The existing condition of the Pentsa residence is beyond simple remodeling and repair. The complete interior has been removed, and because of extensive termite damage thru out the existing roof structure, this house is unsafe for human habitation. It is required to bring the entire structure up to the current building codes. None of these factors are an option.


The height of the building is compatible with the adjacent residences, but because of the size of floor plan and the floor elevation, it makes it difficult to be the same roof height with those adjacent residences. These factors should be considered with the Historic Preservation Board review and final decision.


All of the new architectural elements including the setbacks, front porch, roof, windows, decorative columns, trim, colors, textures, and landscaping of the new design, in my view, are consistent and compatible with newer and older homes in the Lake Section of Hollywood, Florida.

Roman Pentsa, Owner

Pour leuts


¥90





4" DO NOL COLL CENLENT TEYDER ON LIBO DE LIBEE E PROMINE VILEE BATMURE CRE YE DIRECTED BL FYNDROME YBCHILECT "Y HT ZUKMEN Y BIULS RAWT IE BERMONED YBSDOXIMMETA "I PEL JAREE BITME JO BANKH GENDE OMES JHE BOOLGWIT "T PEL JAREE BITME JO BANKH GENDE

### TREE PLANTING & STAKING DETAIL



- ALI, DAVER ANEXS SHALL SE FINISH GRATED SUCH THAT THEY FLUSH AND LEVEL HIT DAVISCURE FASS AND TO PREVENT THE BACKWASH OF MULCH AND DEBRIS HIT DAVISCURE FLOW OF DRAWAGE.
  - THE OF INSTALLATION. THE OBJECT A MIN, OF A?, OF HEIGHT AT THE THATMOR, ALL CODE SECREN SHRING SHALL BE SPACED AT A MIN, OF A?, O.C. HEIGHT IN ONE THE OBJECT AND THE OBJE
- 6. THE CONTRACTOR SHALL VOIT THE STE OF THE WORK AND EXMINE THE PLANS.

  INCOMES CONTRACTOR THAT THE THE CONTRACTOR HAS THE PLANS.

  CHARACTER, DATH OF CHANTITIES OF WORK TO BE PREPORTED AND DE HOLD SHULLY THE PLANS.

  BY THE PLANS OF THE PLANS OF THE PLANS.

  AND EXHIBITED AND AS TO BE REQUIREMENTS OF THE PLANS.

  BY THE CONTRACTOR SHALL VOIT THE STEP OF THE PLANS.

  AND EXHIBITED AND AS TO BE REQUIREMENTS OF THE PLANS.

  BY THE CONTRACTOR SHALL VOIT THE STEP OF THE PLANS.
- NINSEERA ESYCLICE:

  " WIT LIFEE OMEN IS LEEL HEXNEL SHATT BE GRAED IN YOCOHDWINE AND ROUNDESS SOUTHWEST."
- AT LIBEES ONEN IS EEEL HEIGHT ERVIT GE CINAD IN YOCOGDWINGE MILH SOINND ANALYSE.

  THE EMPARIMENT WIND DOES NOT IMPEDIE SHE FLOW OF DISWINGHOE OFF. HORSE PAWED CHAPTER FORD STORT HAVE THE GONE SHAW THE GENERAL SHAWED SHAWINGHT OF CHAPES WANNED WIND CONTROLL OF THE CHAPTER OFF. THE CONTROLL OF THE CHAPTER OF SHAWINGH OFF. THE OBJECT WIND HEATTHA GROWING WAS ANALYSED WIND GONES OFF. THE OBJECT WAS DEFINED WANNED SHAWED SH
- PRINTING OL 2, DELIH OL ZHAKDOED CASESZA WATCH!

  S' VET GROWNO COACH BEEGE ZHANGE BEEG! YAO HEDOEZ ZHYIT BE WATCHED MULH Y
- LHE SLYLE OL ETOMINY DELYBUNIEND OL VORIGOTILINGE WIND COMPANNES PERSONNES PARE LYBED OL , CRYGOEZ VAN STANDWING DE MINEREN DE VER LYBEN IN LIE MOZI, COMBEN LEDLION STANDWEN LYBEN FOR AND AND IN LIE EXCECT. LIE HIMMONN THE BAYET COMEDIN TO' OF EXCECT. LIE HIMMONN

- So. All Medium size trees are to be set brok so it min, from any overhead. It amount of medges are to be set brok so it min, from any overhead lines.
  - 18. ALL TREES MUST BE GUYED AND STARED.

    19. XERSCAPE FRANCHES ARE TO BE APPLED AS PER SPACHED IN SOUTH FLORIDA

    WATER AMANGEMENT DISTRICT XERSCAPE FLAMT CHOE II

    ALL METRINA MET TREES ARE TO BE SET BACK SO ET MIN, FROM ANY OVERHEAD!
- $17.\,$  8" of 70p sol, recurred around and benefit the Root Ball with a Min. of 3" of sheedded, approved organic mulch for a min, of 13" beyond the truth k all directions and throughout all hedge and place and presidence and place and throughout all hedge and place and the providence and place and the providence and place and the place
- OVERLAND DISCHARGE OR STORM WKTER ONTO ADJACENT PROPERTIES.

  16. CONTINGUISE ON VEHEY TO PROVIDE ALL SKROIN SOLD EREVELY DIRECT CONTINGUISE TO VEHEY TO PREVIOUR.

  17. INREGES SHALL NOT BE LOCATED THAN 15 FT FROM EACH OTHER TO PREVIOUR.
- 13. Remove berlap from the top of root balls at time of planting. Trees are not to be planted lower than grade.
- SEMANCE" COORDINATE MITH THE E22 YAID THE LYMDSCAPE MASECURGY
  TRYBERGING THAT NOT COMELTON, MITH YAIN EXCLUME ON EMPOROSED FUTULA FINNES DIS
  15" COMUNICACION SO DETTO ACRIENT THAT INSEES THAT ARE PURMATED MITHIN THE FUTULA
- CTEMING WITZ I INSECT LINS

  VID BAIOS LO PAR CONSURCIJON VCINALY. THE CILA BAIOS LO LO VIA TWO


  OR LIFE LIREE THE PRES THE REPLACE ON THE SACE & GRYDARY FERMIL

  TO SUREZIMACIJON DWINGE BA BRAGNCHING VSONNO SHY OLER EDDES OR LIHE DASHING


  CONZULIZACIJAN DWINGE BA BRAGNCHING VSONNO SHY OLER EDDES OR LIHE DASHING

  THE WEEKE STANDON DWINGE BA BRAGNCHING VSONNO SHY OLER EDDES OR LIHE DASHING

  THE WEEKE STANDON SHOWN THE WASHING THE SHOWN THE SHOWN
- MAJINTEO MILH Y IMYA ZENZOK IRIBEVIDION ZOAREZ DEN Y KOMBE ELHOTENI ZAZIEN' IRIBARYION ZAZIEN' RHENETION SE ON ZENEWLE PAREZ MID ZIENKA INDIN KARIC SICREMINE' ZILISEL YAD YOYNCENL BUODEKILIEZ ZAZIEN MIZINTEO YONEWCE WIND ZO DEN ZENDEN YOUNG WIND WONDOWNER WIND ZOD TIT INMOZONEK WERKE WIND ZOO VERVE ZIMPT HAKE YA YUNDOWNION BUSDOWNION




14 EL WITEL





### 925 VAN BUREN STREET



ist were t

EXLEBIOR MYLLS


**LISTIM AND MOLDINGS** 

**EVZCIV BOVED** 


FRONT DOOR STAIN

WOLDINGS WINDOW AND DOOR


ROOF TILE
























































	APPROXIMATE TO THE PROPERTY OF	
Select an Agency-		Select a Service
rolloes (Neight) course or	auvari Aio de agrájo Sineza, suc	Home City Government


Search > Properties located at/on/near '...925 VAN BUREN ST
925 VAN BUREN ST

Account on the contract accounts to the contract of the contra				SEASON SON THE SEASON SEASON SERVICES	THE PROPERTY OF THE PARTY OF TH
Z00Z/ZZ/6	417/2007	COMPLETE BUILDING)	ZE9Z0T-Z08		elistad
	8/22/2008	CREDIT)	808-104375		Details
	800Z/EZ/6	RENOVATIONS	704401-808		elisted
10/30/2008	10/21/2008	INTERIOR DEMOLITION	B08-104803		Details
12\20\1988		ADDITION & ALTERATIONS	Z9ZE0888		alistad
8861/12/21		REINF STEEL/PROD APPR-POOL(E,P APPROV?)	987£088B		Details
686T/8Z/E		SHINGLE OR SHAKE RE-ROOF-METAL, TILE, WOOD	SZ9T0688		Details
2\13\1386		POOL	98870689		Details
6861/61/5		POOL	06820688		Details
3/23/1695		ACITERATIONS-EXTERIOR	B9501365		Petails
8661/87/5		STORM SHUTTERS	B9803525		alistad
		DEMOLITION-ELECTRICAL	E08-101829		elisted
11/2/5008	8002/5/11	DEMOLITION-ELECTRICAL	E08-102006		Details
686T/9/T		OUTLETS, SERVICE, PANELS, ETC	E8900022		Details
1\f0\T88		POOL/SPA ELECTRICAL	E8900033		slisted
77/27/2002	11/2/2002	A/C - CENTRAL - REPLACEMENT	MOZOTZOZ	9/114	elistad
300Z/0E/0T	10/30/2008	DEMOLITION-MECHANICAL	MOS-101200		Petails
686T/S/T		A/C - CENTRAL - NEW	T100068M		Details
	8007/87/6	DEMOLITION-PLUMBING	P07-100627		Details
	8007/87/6	DEMOLITION-PLUMBING	ES0101-804		Details
		DEMOLITION-PLUMBING	P08-101080		Details
10/30/5008	10/30/2008	DEMOLITION-PLUMBING	091101-80d		Details
12/21/1988		- OT GARRED TO -	P8800444		Details
8861/67/71		ьгомвійс мокк	19400889		Petails
6861/11/1		PLUMBING WORK	₽ <b>2</b> 000684		Details
2\18\1986		POOL PIPING AND FILTER EQUIPMENT	99600684		Details
\$661/81/7		SAS PIPING	85400264		Details
eted timie4	Appl. Date	Description	4 Hansq	Process A	waiv

Building and Engineering Services | Directory | Applications & Forms | Register for E-mail Motifications Search Permit Status | Pay Permit Charges | Request for Inspection | Building Code of Ordinances

		oo.1 spiedoius	With County
A PASA	1 Marie Carlotte Carl		1.44 140 X
The state of the s	004		
	The state of the s		0475 T (A1243)
	A STATE OF THE STA		
		100 / 100 /	(1) 40 <b>40 14 18 230</b>
15 45 00. SA !	ang alaun di ya asi masalisian yi pilandi ya masafani ya masalisia iliya asi magalini masalisiyada.	The graph and the state of the	J TO JOY NO.
		71:185sv	OF WILDON
HER HALL WATER			* 1011
	SELECTION AND		

ر د ج سرم سرم



		6.7.50	enrchard	Mauron 1834.00
AMA TO CITA			the six and the time and the city of the above consideration of the second	35.84.2
DM) AEAWA			entermonente entre e	TWA AND JET
3004				ELUMBING NO. FIX.
acus en			ing campan (1996-1994) Patrick of a transition are integrant supplied to the campaign of the c	ELECTRIC SUPP.
MECHANICAT	The second secon		t title med en verd erne i ret en nedemblesche engelig by der	ELECTRIC-BASIC
NOTT IGHOD / STA	ngir yang sang sang sang sang sang sang sang s	The state of the Control of the Cont	Thinks a copies to these and one	300
83K35 / 3 ( 1 435	PCO Svcs.	18-01-0	22501	SALOTION"

						234.	260	
	ST.		arcyvråe	30	I AMM 10 OLIVJ	ikaninka propinsi manaka masa ana masa ana masa ana masa ana ana ana ana ana ana ana ana ana	in distribution of the state of	
·	TO STATE OF THE PARTY OF THE PA	And the second s	eurosativos esperanti del que en sida de pelítica para esperante.	Njerova kaj nizgraj graj konconstrukcio ser sistema e igora e sercinare sercinare se sistema e sercinare se si	Maring and account of the contract of the cont	Mynd The September of Mills and September and Mills and		
			atitumanimumosu akonari nosopora ani ku digera ak	a feet a special feet is a second or second and a second or second a second between the second or second second between the second or second s	380	iliki vindigi matankisi (mir biranna muni vari ngada) pilana amingu angkawa	Biologischeidige glevoldscope v metageistenserverser	
	pt # 86	nas ummu uljud ji tijke infonisiste mas tepungania mis pri indoponate			and the state of the	and the state of the		
	- Andrews Comments of the Comm	21 180	10-5-01	in ieneli	#3   #4 #3 <b>  1</b>	1845 Million and the or or annual year of this	to facility the second or second or second	
	CAN AND AND DESCRIPTION OF THE PARTY OF THE		area distribution in the administrative distribution of the state of t		83M 18 / 2 TV 238			and the second s
		e de la companya de l	11.13	BOLDVEINGS	THE RESERVE	E SHAW		
							46	
						MONAL CO	#6:11	
			to a second seco	and the state of t				
		<b>7</b> * 3 * 7	\$ 250 	- Marin Anna Anna Anna	TIMIL TALL		<b>3</b> 3	

1. 分類的

Carlot of the second


		00*1	ebregaras	VICTURES CRAIMERY
		r dysk geringer i det spir med frameren på en store en de en se en en en en en de de et store to se De skriver i de en	ekka jirandigi dagir, jatah nekanalan kanan antar antar anjar antar angar angar angar angar angar angar angar Na angar	
	APASA (B)		anta kining kali akaakka pa aabaan adooniisa a aanka baaniisassa	
and the same of		er til lingstad flæst freikstare och sindstade længstad og skil omfrende flæng felomoniske promise er en er er	activities also some contra act activities into contrate and contrate and contrate and contrate and contrate a	
		nga carabana inakata dinangan dan persebuah karaban dan barah barah barah barah barah barah barah se	or the William of State of Sta	
		THE PROPERTY OF THE	THOU	0.00
The state of the s		ny ary ing ing ing ing pangganggangganggangganggangganggan ary	करेन्द्रसम्बद्धीयकः संस्तरः करेन्द्रस्थारस्य प्रदेशकः व्यक्तिकः व्यक्तिः	
		NETONET MOD. 1 TAGE		Limbe Park
and the second			AND THE STATE OF T	
	T SPARE T			
ACCEPTANCE TO				
	an aliane wer s	The state of the s	Some and the Charles of Faul Andrew Banker Black	et rebuit
			eriens outstepper ausgronisten (den sternis	
				* *
			<i>i</i>	
union participation of the second of the sec				****
			na da ingilah antari yang magang kanan salari kepandapan da ang ang	
	AVASA 18		en de la companya de	
			niki in mikangarang ing pangarang kanakankan kanjing salikingga	


10 1400

WO ( W IS) JA


AVASALES 1004 437404  $T_{i}$ Silver of the control MOITIGENTIETS DIANE OF LOSS UNIO 1/91/9 -1997 I MARIA BALL edisvelia) SATE LINE DE BELLE redraginal tool #01136918 #E) 70 E011 E1E co. c 00-01-5 **AVERYLOS** TOBLE MECH CALLS NOT IN e daman "AL HOUSE WAS ST. 11.周汉、喇叭飞棚 CONTRACT things arischarge res s. 604 OF THE STATE OF 1604 #1 J#26 40/1/08/05 6/10 TOTAL STATE COMP TO LOSS IIVe VOIDVOI NOD i Jaman i 1987 6 3448 eurge) successive companies No sopimioni SERVETION OF CONSTRUCTION


\*





	<u>l</u>	en er	a Grey Friday (Military Andron Charles on Military Charles	ananima un tip a moduluis uni uni side exeptitor. Aimen plissionidi tomunio	MOS WODENS		20 NO LESS
	WG TAU ANY	011	Ĩ.		5 <u>9.</u> 44	4 22% observ	· Manuel Santonia de Manuel
		- Contract C	ALLES AND	entrandration of the property of the section of the	A Life to	A SCHOOL SCHOOL STATE OF THE PARTY OF THE PA	
			12.6	238		# #Andia	<b>4</b> 71
		. 22 marti	VEA, SEE		The state of the s		
****		<b>P</b> *** <b>********************************</b>	Out i	MOOV BO!	and the state of t	a malana dalam da sa	A CO
	and the second						
	2.46						
			1 No. 1				
			KINDIN	the statement of the committee of the statement of the st	The state of the s	o ne nemerouside constitute de service de la constitute d	1.40 miles (1.50 m
		e ny makangan digan mpakatan da antakan ana a sasah mpah	AMARA 186	The state of the s	Andreas	in to the said of the said	We will
		anne amitto difficience medical properties and consequence of the cons	190 d		a distribute distribute and company and a light for a security of	and an electric service of the servi	
		makanginga malam	#33AGE	an Mahamanan in tagan pinaman ng manggan panah an ana ana ana an an an an an an an an	The same of the sa	randa o canada y a canada de la c	
	Arrival de Carrier de la Carri		W. I Bridge		and the second second second	, in the second of the second	COMPANY OF A COMPANY
		Admirant Barrier Williams		and the second second second second	and the second s		ere julieri organis ere Milit
			er dien	PTAZO	78-6-6	HELL	erane e e e e e e e e e e e e e e e e e e
	中国的现在分词 1000mm (1000mm) 1000mm (1000mm) 1000mm (1000mm) 1000mm (1000mm) 1000mm (1000mm) 1000mm (1000mm) 1000mm		1000	Beldreiber	vertile ente		
					eria wiyani	A STATE OF THE STA	
					utriminador un especialista de la constanta de		
	MOTORE L	<b>(4)</b>	ere in the				
		The second s		The second se	en e	Constitution of the second	
	ioti raat ti	tere a mee			no abanquan aban kan ili yanga bahari ka		1
		is gradie o	ii ( Zo	he substituted as a second	TAN THE PARTY OF T	i i ji ji kati	
							970
				#			
			nancial and second and second				







925 Van Buren Street